	Application No.	Applicant(s)
Notice of Allowability	10/821,678	SUKUMAR, V. RAMAN
	Examiner	Art Unit
	Jyoti Nagpaul	1797
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to an amendment filed on November 2, 2007. 2. The allowed claim(s) is/are 2.4.10 and 17. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the:		
1. Certified copies of the priority documents have been received.		
Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF		
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	E Nation of Information	Dotont Annlianti
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	5. ☐ Notice of Informal F6. ☐ Interview Summary	• •
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ⊠ Examiner's Amendi	te
Paper No./Mail Date		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		ent of Reasons for Allowance
	9. Other	

10/821,678 Art Unit: 1797

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with John Andrade on January 15, 2007.

The application has been amended as follows:

Cancel Claims 1, 3, 5, 7, 9, 11-16 and 18-19.

Amend Claim 2, Line 2; after "Claim", delete "1", insert -17-

Amend Claim 4, Line 2; after "Claim", delete "1", insert -17-

Amend Claim 10, Line 1; after "Claim", delete "1", insert -17-

2. The following is an examiner's statement of reasons for allowance: Prior art fails to teach or fairly suggest a mobile intra-operative microscopic diagnosis laboratory comprising a van containing the laboratory, a countertop within the laboratory, a chuck for holding fresh tissue specimens, a cryostat for placing the chuck, additional counter space for cutting the frozen tissue sample specimens, a microscope, lighting, roof vents, and air conditioning units. The laboratory further comprising a humidistat, barometer and thermometer for maintaining proper environmental conditions within the laboratory.

10/821,678

Art Unit: 1797

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jyoti Nagpaul whose telephone number is 571-272-1273. The examiner can normally be reached on Monday thru Friday (8:00-4:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on 571-272-1267. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Dill avarden Super/rigory Patent Examiner Tedoxology Center 1700